

City Hall Building London, Kentucky 40741

CITY OF LONDON

OFFICE OF CLERK

LONDON, KENTUCKY 40741

18 October 1983

 \mathcal{A}_{i}

RECEIVED

007 21 1983

SECRETARY OF STATE COMMONWEALTH OF KY.

Office of the Secretary of State Frankfort, Kentucky 40601

RE: City of London Annexation

Gentlemen:

We are hereby filing a copy of a map of the annexed area of the City of London and a certified copy of the ordinance which contains the metes and bounds description of the annexed area as required by KRS 81A.470.

Sincerely,

CITY OF LONDON, KENTUCKY

Patricia A. Depew

Clerk

pad

COMMONWEALTH OF KENTUCKY CITY OF LONDON ORDINANCE NO. 734

* * *

AN ORDINANCE ANNEXING CERTAIN UNINCORPORATED TERRITORY GENERALLY SURROUNDING AND IMMEDIATELY ADJACENT TO THE PRESENT CITY LIMITS OF THE CITY OF LONDON, KENTUCKY, AND ACCURATELY DEFINING THE BOUNDARY OF THE TERRITORY ANNEXED.

* * *

WHEREAS, it is mutually desirable to the residents and landowners of the City of London and the residents and landowners of the unincorporated territory proposed to be annexed herein, that said unincorporated territory be annexed,

NOW THEREFORE, BE IT ORDAINED BY THE CITY OF LONDON:

Section 1. The City Council, as the Legislative Body of the City of London, Kentucky, DOES HEREBY EXTEND THE PRESENT CITY LIMITS AND BOUNDARY LINES, AND ANNEXES TO AND INCORPORATES WITHIN THE CITY OF LONDON, KENTUCKY, ALL OF THAT TERRITORY NOW OUTSIDE THE PRESENT CITY BOUNDARY LINES AND LYING WITHIN THE BOUNDARY LINES WHICH ARE MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BOUNDARY DESCRIPTION

CITY OF LONDON

Beginning at the intersection of old KY 80 West and Cole Road; Thence, with the center line of the Cole Road, the following meander calls:

South 80° 39 East 220.72 feet To a point in center of the road North 88° 32 East 229.65 feet To a point in center of the road

South	85°	13	East	257.08	feet	To a point in center of the road
South	83°	35	East	211.69	feet	To a point in center of the road; thence leaving the said road
South	32°	00	East	25.60	feet	To a stake being a corner of Parman property, thence
South	71°	15	East	118.85	feet	To a stake, thence,
South	79°	17	East	120.52	feet	To a stake, thence,
South	88°	07	East	93.54	feet	To a Black Oak in fence line, thence
South	70°	20	East	200.97	feet	To a triple Black oak; thence
North	87°	42	East	112.72	feet	To a stake on center of ridge, thence
South	84°	46	East	68.34	feet	To a stake on center of ridge, thence
South	52°	05	East	175.75	feet	To a stake in the center of the spur, thence,
South	68°	52	East	2,281.68	feet	To a point in the west right-of-way line of Interstate 75; thence,
South	62°	20	West	250.00	feet	To a point in the present city limits, thence
South	74°	00	East	2,850.00	feet	To a stake in the East right-of-way of U.S. 25., thence,
North	83°	30	East	960.00	feet	To a stake in the center line of a ridge, thence,
South	34°		East	1,300.00	feet	To a point in the North right-of-way line of the Daniel Boone Parkway. Thence, with the North right-of-way of the Daniel Boone Parkway, the following calls:
North	85°	00	East	646.00	feet	To a point
North	79°	45	East	440.00	feet	To a point
North	82°	30	East	560.00	feet	To a point
South	89°	30	East	488.00	feet	To a point
North	75°	30	East	440.00	feet	To a point
South	85°	00	East	512.00	feet	To a point
North	83°	30	East	176.00	feet	To a point
North	59°	30	East	48.00	feet	To a point
North	81°	45	East	960.00	feet	To right-of-way Station 122 + 00
North	72°	45	East	400.00	feet	To right-of-way Station 126 + 00

North 81° 15 East	512.00 feet	To a point in the north right-of-way of the Daniel Boone Parkway and a point in the present city limits boundary. Thence, with the present city limits the following calls:
North 02° 45 East	1,100.00 feet	To a stake on the south side of the Moren Ridge Road, Milby-Farmer Corner. Thence,
North 37° 00 East	1,290.00 feet	To a stake on the east side of same, Cornett Milby-Farmer, Corner; Thence
South 88° 45 East	539.00 feet	To a stake on the west side of the Slate Lick Pittsburg Road, Thence with same the following calls:
South 14° 00 East	870.00 feet	To a stake on the west side of same; thence
South 31° 15 East	350.00 feet	To a stake on the west side of same, Grigsby Corner. Thence,
South 65° 30 West	210,00 feet	To a stake, thence
South 24° 30 East	150.00 feet	To a stake, thence
North 65° 30 East	125.00 feet	To a post, Jones Corner. Thence,
South 26° 15 West	750.00 feet	To a point in the north right-of-way line of the Daniel Boone Parkway, thence with the north right-of-way line of the Daniel Boone Parkway the following calls:
South 71° 30 East	456.00 feet	To a point
South 76° 30 East	240.00 feet	To a point
South 49° 30 East	144.00 feet	To a point
South 45° 00 East	496.00 feet	To a point
South 48° 00 East	872.00 feet	To a point
South 54° 30 East	448.00 feet	To a point
South 43° 00 East	872.00 feet	To a point
South 70° 50 East	232.00 feet	To a point
South 08° 00 East	128.00 feet	To a point
	120.00 1001	· · · · · · · · · · · · · · · · · · ·
South 48° 45 East	128.00 feet	To a point
South 48° 45 East South 49° 15 East		•
	128.00 feet	To a point
South 49° 15 East	128.00 feet 1,072.00 feet	To a point To a point
South 49° 15 East South 51° 35 East	128.00 feet 1,072.00 feet 272.00 feet 816.00 feet	To a point To a point To a point
South 49° 15 East South 51° 35 East South 49° 30 East	128.00 feet 1,072.00 feet 272.00 feet 816.00 feet 208.00 feet	To a point To a point To a point To a point

South	63°	00	East	272.00	feet	To a point
South	52°	00	East	272.00	feet	To a point
South	42°	30	East	768.00	feet	To a point
South	51°	35	East	528.00	feet	To a point
South	41°	30	East	442.00	feet	To a point where the Daniel Boone Parkway and the 192 By-Pass intersect. Thence, with the south right-of-way line of the KY 192 By-Pass the following calls:
South	48°	00	East	120.00	feet	To a point
South	40°	30	East	680.00	feet	To a point
South	43°	30,	West	367.00	feet	To Station 237 + 38 of the 192 By-Pass
South	54°	30	West	193.00	feet	To a point
South	54°	20	West	500.00	feet	To a point
South	56°	30	West	525.00	feet	To a point
South	71°	15	West	410.00	feet	To a point
South	65°	35	West	90.00	feet	To a point
South	67°	30	West	1,005.00	feet	To Station 230 + 00
South	65°	00	West	400.00	feet	To Station 226 + 00
South	63°	00	West	55.00	feet	To a point
South	63°	30	West	560.00	feet	To Station 219 + 75
South	87°	30	West	65.00	feet	To Station 219 + 10
South	56°	35	West	710.00	feet	To Station 212 + 00
South	55°	00	West	200.00	feet	To Station 210 + 00
South	55°	00	West	1,100.00	feet	To Station 199 + 00, a point in the line of the Industrial Park Property line, thence, leaving the 192 By-Pass right-of-way and running with the boundary of the Industrial Park, the following calls:
South	61°	03	East	419.98	feet	To a point in the right-of-way line of the L & N Railroad, thence
South	01°	25	West	1,479.22	feet	To a point in the right-of-way line of the L & N Railroad, thence
North	45°	45	West	582.12	feet	To a set stone corner. Thence,
South	48°	13	West	1,356.21	feet	To a set stone corner. Thence,
South	37°	09	East	380.83	feet	To an iron pin corner. Thence,

South	54°	18	West	236,86	feet	To a point in the west right-of-way line of KY 229. Thence with the right-of-way line of KY 229:
South	51°	28	East	730.00	feet	To an iron post in the west right-of-way, Thence, leaving KY 229, the following calls:
South	10°	16	West	1,348.02	feet ,	To an iron pin set in concrete, thence
North	75°	27	West	1,200.00	feet	To a point in the line of the Utility Commission Property, Thence
North	33°	51	West	759.00	feet	To a point in Whitley Branch, Thence, leaving the Utility Commission Property;
North	68°	00	West	800.00	feet	To a point in the east right-of-way line of U.S. 25. Thence, with east right-of-way of U.S. 25
North	16°	07	West	931.92	feet	To a point in the South right-of-way line of the 192 By-Pass; Thence continuing with the South right-of-way of the 192 By-Pass;
South	46°	10	West	300.00	feet	To Station 153 + 50
South	66°	25	West	150.00	feet	To Station 152 + 00
South	52°	00	West	250.00	feet	To Station 149 + 50
South	57°	45	West	550.00	feet	To Station 144 + 00
South	76°	10	West	275.00	feet	To Station 141 + 25
South	65°	55	West	175.00	feet	To Station 139 + 50
North	84°	30	West	75.00	feet	To Station 138 + 75
South	77°	45	West	50.00	feet	To Station 138 + 25
South	75°	50	West	122.00	feet	To Station 137 + 03
North	89°	55	West	428.00	feet	To Station 132 + 75
South	88°	10	West	50.00	feet	To Station 132 + 25
South	86°	30	West	225,00	feet	To Station 130 + 00
South	88°	30	West	54.00	feet	To Station 129 + 46
North	78°	45	West	764.00	feet	To Station 121 + 82
North	76°	00	West	74.00	feet	To Station 121 + 08
North	61°	00	West	308.00	feet	To Station 118 + 00
North	54°	00	West	225.00	feet	To Station 115 + 75
North	63°	30	West	207.00	feet	To Station 113 + 68
North	53°	35	West	468.00	feet	To Station 109 + 00
North	49°	25	West	225.00	feet	To Station 106 + 75
North	71°	35	West	129.00	feet	To Station 105 + 46

North	35°	55	West	246.00	feet	To Station 103 + 00
North	53°	25	West	1,100.00	feet	To Station 92 + 00
North	60°	30	West	200.00	feet	To Station 90 + 00
North	64°	00	West	200.00	feet	To Station 88 + 00
North	77°	00	West	114.00	feet	To Station 86 + 86
North	61°	00	West	74.00	feet	To Station 86 + 12
North	69°	45	West	37.00	feet	To Station 85 + 75
North	75°	30	West	50.00	feet	To Station 85 + 25
North	80°	30	West	285.00	feet	To Station 82 + 40
North	77°	35	West	499.00	feet	To Station 77 + 41
South	87°	40	West	241.00	feet	To Station 75 + 00
South	85°	35	West	232.00	feet	To Station 72 + 48
South	76°	30	West	198.00	feet	To Station 70 + 50
South	80°	30	West	256.00	feet	To Station 67 + 94
South	66°	30	West	154.00	feet	To Station 66 + 40
South	50°	00	West	190.00	feet	To Station 64 + 50
Thence	₽,					
North	87°	58	West	246.79	feet	To a point, Thence
	700	_,	**			
South	78	54	west	80,7.88	feet	To a point, Thence
North				107.31		To a point, Thence To a point in the west right-of-way line of Interstate 75. Thence, with the west right-of-way line of I-75, the following calls:
	25°	49	West		feet	To a point in the west right-of-way line of Interstate 75. Thence, with the west right-of-way line of
North	25° 15°	49 45	West West	107.31	feet	To a point in the west right-of-way line of Interstate 75. Thence, with the west right-of-way line of I-75, the following calls:
North North	25° 15° 06°	49 45 00	West West East	107.31 308.00	feet feet feet	To a point in the west right-of-way line of Interstate 75. Thence, with the west right-of-way line of I-75, the following calls: To a point, in right-of-way
North North	25° 15° 06° 15°	49 45 00 45	West West East	107.31 308.00 208.00	feet feet feet feet	To a point in the west right-of-way line of Interstate 75. Thence, with the west right-of-way line of I-75, the following calls: To a point, in right-of-way To a point, in right-of-way
North North North	25° 15° 06° 15°	49 45 00 45 30	West East East West	107.31 308.00 208.00 256.00	feet feet feet feet feet	To a point in the west right-of-way line of Interstate 75. Thence, with the west right-of-way line of I-75, the following calls: To a point, in right-of-way To a point, in right-of-way To a point, in right-of-way
North North North North	25° 15° 06° 15° 11°	49 45 00 45 30	West East East West West	107.31 308.00 208.00 256.00 176.00	feet feet feet feet feet feet	To a point in the west right-of-way line of Interstate 75. Thence, with the west right-of-way line of I-75, the following calls: To a point, in right-of-way
North North North North North	25° 15° 06° 15° 12° 11° 17°	45 00 45 30 30	West East East West West	107.31 308.00 208.00 256.00 176.00 212.00	feet feet feet feet feet feet feet	To a point in the west right-of-way line of Interstate 75. Thence, with the west right-of-way line of I-75, the following calls: To a point, in right-of-way
North North North North North North	25° 15° 06° 15° 11° 17° 20°	45 00 45 30 30 00	West East East West West West	107.31 308.00 208.00 256.00 176.00 212.00 720.00	feet feet feet feet feet feet feet	To a point in the west right-of-way line of Interstate 75. Thence, with the west right-of-way line of I-75, the following calls: To a point, in right-of-way To a point, of right-of-way To a point, of right-of-way
North North North North North North	25° 15° 06° 15° 11° 17° 20° 16°	49 45 30 30 00 00	West East East West West West West	107.31 308.00 208.00 256.00 176.00 212.00 720.00 352.00	feet feet feet feet feet feet feet feet	To a point in the west right-of-way line of Interstate 75. Thence, with the west right-of-way line of I-75, the following calls: To a point, in right-of-way
North North North North North North North	25° 15° 06° 15° 17° 20° 16° 14°	49 45 00 45 30 00 00 00	West East East West West West West West	107.31 308.00 208.00 256.00 176.00 212.00 720.00 352.00 592.00	feet feet feet feet feet feet feet feet	To a point in the west right-of-way line of Interstate 75. Thence, with the west right-of-way line of I-75, the following calls: To a point, in right-of-way To a point in right-of-way To a point in right-of-way
North North North North North North North North	25° 15° 06° 15° 02° 11° 17° 16° 14° 12°	49 45 30 30 00 00 20	West East East West West West West West	107.31 308.00 208.00 256.00 176.00 212.00 720.00 352.00 592.00 344.00	feet feet feet feet feet feet feet feet	To a point in the west right-of-way line of Interstate 75. Thence, with the west right-of-way line of I-75, the following calls: To a point, in right-of-way To a point in right-of-way To a point in right-of-way To a point in right-of-way
North North North North North North North North North	25° 15° 06° 15° 02° 11° 17° 20° 14° 12° 11°	49 45 00 45 30 00 00 00 20 00	West East East West West West West West West West	107.31 308.00 208.00 256.00 176.00 212.00 720.00 352.00 592.00 344.00	feet feet feet feet feet feet feet feet	To a point in the west right-of-way line of Interstate 75. Thence, with the west right-of-way line of I-75, the following calls: To a point, in right-of-way To a point in right-of-way

North	10°	55	West	1,552.00	feet	To Station 2100.
North	14°	10	West	384.00	feet	To a point in right-of-way
North	06°	55	West	240.00	feet	To a point in right-of-way
North	15°	00	West	328.00	feet	To a point in right-of-way
North	12°	00	West	448.00	feet	To a point in right-of-way
North	22°	35	West	520.00	feet	To Station 2120
North	05°	15	East	384.00	feet	To a point in right-of-way
North	07°	45	West	576.00	feet	To a point in right-of-way
North	09°	15	West	568.00	feet	To a point in right-of-way
North	2,1°	00	West	166.00	feet	To a point in right-of-way
North	13°	Ó0	West	416.00	feet	To a point in right-of-way
North	36°	30	West	320.00	feet	To a point in right-of-way
North	18°	30	West	504.00	feet	To Station 2150. Thence leaving the West right-of-way of I-75, the following calls:
North	86°	30	West	1,120.00	feet	To a set stone being corner of the Bob Jones parcel. Thence with the Jones parcel, the following calls:
North	83°	52	West	197.10	feet	To a crosstie fence post.
North	81°	15	West	49.40	feet	To a point on the west bank of Mitchell Creek. Thence, with Mitchell Creek, the following calls;
North	32°	28	East	61.62	feet	To a point
North	44°	46	East	68.58	feet	To a point
North	12°	22	East	133.03	feet	To a point
North	05°	02	West	187.39	feet	To a point
North	20°	38	West	311.51	feet	To a point on the southeast side of a county road; Thence, leaving the Jones parcel;
North	68°	20	West	60.00	feet	To a point in the line of the Drexell Webb parcel; Thence with the Webb parcel the following calls:
South	55°	57	West	209.76	feet	To a stake
South	68°	44	West	63.44	feet	To a stake being a corner to the Larry Grant parcel.
North	39°	11	West	115.05	feet	To a stake.
North	44°	80	West	85.58	feet	To a stake.
North	46°	40	West	119.75	feet	To a stake in the southeast edge of the Old Sinking Road, thence,
North	38°	02	East	186.37	feet	To a stake in the southeast edge of the Old Sinking Road. Thence, leaving the Webb parcel;

North	12°	30	West	50,00	feet	To a stake on the west side of the Old Sinking Road. Thence,
North	62°	22	West	262.95	feet	To a stake,
North	62°	43	West	151.08	feet	To a stake, under power line, thence
North	75°	13	West	95.16	feet	To a stake
North	83°	30	West	108.77	feet	To a stake
North	58°	00	West	127.62	feet	To a stake
South	53°	39	West	30.55	feet	To an iron stake corner of the Parkway Church of God parcel. Thence, with the Church parcel, the following calls:
South	36°	80	West	150.00	feet	To a stake, thence
South	31°	40	West	1,280.74	feet	To a set stone being a corner to the Hammons parcel. Thence,
North	82°	15	West	229.00	feet	To a set stone in fence line common to the Huff property. Thence,
North	27°	30	East	1,362.80	feet	To a stake being common to the Edwards parcel. Thence, leaving the Church parcel:
North	74°	15	West	1,155.00	feet	To a stake at corner of fence being a corner to the Walters Parcel. Thence,
North	21°	53	East	235.83	feet	To a point in the south edge of KY 80 West
North	11°	14	East	588.41	feet	To the place of beginning, containing 4,818.89 acres, more or less.

All of the above boundary lines are more particularly shown by a map and plat prepared by Ted Hensley, Registered Land Surveyor, which map is filed in the London City Clerk's office, and may be examined by all parties having an interest therein.

Section 2. All ordinances, or parts of ordinances, in conflict herewith are hereby repealed.

 $\underline{\text{Section 3}}$. This ordinance shall become effective immediately upon publications.

City of London

(SEAL OF CITY).

ATTEST:

Patricia A. Depew, City of London

First reading: 26 September 1983

Second reading: 10 October 1983

Publication:

13 October 1983

I, Patricia A. Depew, Clerk, City of London, Kentucky, do hereby certify that this is a true and correct copy of Ordinance No. 734.

Patricia A. Depew, Clerk City of London, Kentucky.

OVERSIZE MAP INCLUDED WITH SUBMISSION.

To research the map, contact the Office of Secretary of State or the County Clerk.